



## O-Ringen per afmetingen / Joints Toriques par dimensions

NIT = NITRILE (NBR) - SIL = SILICONE (VMQ) - VIT = VITON (FPM)

Afmetingen / Dimensions	Ref. MP	*
02,60X01,90 NIT	<b>36-0205</b>	
02,90X01,78 NIT	<b>36-0441</b>	
03,00X01,50 NIT	<b>36-0659</b>	*
03,00X02,00 NIT	<b>36-0453</b>	
03,00X02,50 NIT	<b>36-0592</b>	*
03,40X01,90 NIT	<b>36-0210</b>	
03,68X01,78 NIT	<b>36-0442</b>	
04,00X02,00 NIT	<b>36-0454</b>	
04,20X01,90 NIT	<b>36-0215</b>	
04,47X01,78 NIT	<b>36-0443</b>	
04,90X01,90 NIT	<b>36-0220</b>	
05,00X01,50 NIT	<b>36-0317</b>	
05,00X02,00 NIT	<b>36-0456</b>	
05,00X02,50 NIT	<b>36-0593</b>	*
05,28X01,78 NIT	<b>36-0480</b>	
05,70X01,90 NIT	<b>36-0225</b>	
06,00X02,00 NIT	<b>36-0457</b>	
06,00X02,50 NIT	<b>36-0318</b>	
06,00X03,00 NIT	<b>36-0308</b>	
06,07X01,78 NIT	<b>36-0485</b>	
06,35X02,40 NIT	<b>36-0201</b>	
06,75X01,78 NIT	<b>36-7835</b>	
07,00X02,00 NIT	<b>36-0458</b>	
07,00X02,50 NIT	<b>36-0576</b>	
07,20X01,90 NIT	<b>36-0230</b>	
07,50X01,78 NIT	<b>36-0673</b>	*
07,65X01,78 NIT	<b>36-0490</b>	
08,00X02,00 NIT	<b>36-0459</b>	
08,00X02,50 NIT	<b>36-0319</b>	
08,00X03,00 NIT	<b>36-0594</b>	*
08,90X01,90 NIT	<b>36-0235</b>	
08,90X02,70 NIT	<b>36-0240</b>	

Afmetingen / Dimensions	Ref. MP	*
09,00X02,00 NIT	<b>36-0657</b>	*
09,00X02,50 NIT	<b>36-0589</b>	*
09,00X03,00 NIT	<b>36-0596</b>	*
09,19X02,62 NIT	<b>36-0500</b>	
09,25X01,78 NIT	<b>36-0495</b>	
10,00X02,00 NIT	<b>36-0073</b>	
10,00X02,50 NIT	<b>36-0461</b>	
10,00X03,00 NIT	<b>36-0309</b>	
10,05X02,70 NIT	<b>36-0245</b>	
10,77X02,62 NIT	<b>36-0505</b>	
11,00X02,50 NIT	<b>36-0462</b>	
12,00X01,50 NIT	<b>36-0587</b>	
12,00X02,00 NIT	<b>36-0492</b>	
12,00X02,50 NIT	<b>36-0463</b>	
12,10X02,70 NIT	<b>36-0250</b>	
12,37X02,62 NIT	<b>36-0510</b>	
13,00X03,00 NIT	<b>36-0688</b>	*
13,60X02,70 NIT	<b>36-0255</b>	
13,94X02,62 NIT	<b>36-0515</b>	
14,00X02,00 NIT	<b>36-0204</b>	
14,00X02,50 NIT	<b>36-0464</b>	
14,00X03,00 NIT	<b>36-0313</b>	
15,00X02,00 NIT	<b>36-0597</b>	*
15,00X02,50 NIT	<b>36-0321</b>	
15,00X03,00 NIT	<b>36-0598</b>	*
15,10X02,70 NIT	<b>36-0260</b>	
15,54X02,62 NIT	<b>36-0520</b>	
16,00X02,50 NIT	<b>36-0465</b>	
16,00X03,00 NIT	<b>36-0322</b>	
16,00X03,50 NIT	<b>36-0311</b>	
16,00X04,00 NIT	<b>36-0323</b>	

\* = NIEUW / NOUVEAU



## O-Ringen per afmetingen / Joints Toriques par dimensions

NIT = NITRILE (NBR) - SIL = SILICONE (VMQ) - VIT = VITON (FPM)

Afmetingen / Dimensions	Ref. MP	*
16,90X02,70 NIT	36-0265	
17,00X02,00 NIT	36-0546	
17,00X02,50 NIT	36-0466	
17,00X03,00 NIT	36-0312	
17,00X03,50 NIT	36-0324	
17,00X04,00 NIT	36-0721	*
17,12X02,62 NIT	36-0525	
18,00X02,00 NIT	36-0209	
18,00X02,00 VIT	36-0211	
18,00X02,50 NIT	36-0460	
18,00X03,00 NIT	36-0386	
18,00X03,50 NIT	36-0599	*
18,30X03,60 NIT	36-0275	
18,40X02,70 NIT	36-0270	
18,64X03,53 NIT	36-0535	
18,72X02,62 NIT	36-0530	
19,00X02,50 NIT	36-0467	
19,00X03,00 NIT	36-0468	
19,00X03,50 NIT	36-0387	
19,80X03,60 NIT	36-0280	
20,00X01,50 NIT	36-0326	
20,00X02,00 NIT	36-0671	*
20,00X03,00 NIT	36-0469	
20,22X03,53 NIT	36-0540	
21,00X02,00 NIT	36-0327	
21,00X02,50 NIT	36-0328	
21,00X03,00 NIT	36-0329	
21,00X03,50 NIT	36-0331	
21,00X04,00 NIT	36-0332	
21,30X03,60 NIT	36-0285	
21,82X03,53 NIT	36-0545	
22,00X02,00 NIT	36-0661	*

Afmetingen / Dimensions	Ref. MP	*
22,00X02,50 NIT	36-0388	
22,00X03,00 NIT	36-0470	
22,00X03,50 NIT	36-0333	
22,00X04,00 NIT	36-0334	
23,00X01,50 NIT	36-0336	
23,00X02,00 VIT	36-0144	
23,00X02,50 NIT	36-0602	*
23,00X03,00 NIT	36-0685	*
23,00X03,60 NIT	36-0290	
23,00X04,00 NIT	36-0337	
23,39X03,53 NIT	36-0550	
23,40X03,50 NIT	36-0181	
24,00X02,00 NIT	36-0603	*
24,00X03,00 NIT	36-0471	
24,00X03,50 NIT	36-0338	
24,60X03,60 NIT	36-0295	
24,99X03,53 NIT	36-0555	
25,00X02,00 NIT	36-0604	*
25,00X02,50 NIT	36-0438	
25,00X03,00 NIT	36-0472	
25,00X03,50 NIT	36-0606	*
25,00X05,00 NIT	36-0107	
26,00X03,00 NIT	36-0452	
26,00X03,50 NIT	36-0607	*
26,20X03,60 NIT	36-0300	
26,57X03,53 NIT	36-0560	
27,00X03,00 NIT	36-0473	
27,80X03,60 NIT	36-0305	
28,00X03,00 VIT	36-0704	*
28,00X03,00 NIT	36-0474	
28,17X03,53 NIT	36-0565	

\* = NIEUW / NOUVEAU



## O-Ringen per afmetingen / Joints Toriques par dimensions

NIT = NITRILE (NBR) - SIL = SILICONE (VMQ) - VIT = VITON (FPM)

Afmetingen / Dimensions	Ref. MP	*
29,00X03,00 NIT	<b>36-0314</b>	
29,00X04,00 NIT	<b>36-0339</b>	
29,30X03,60 NIT	<b>36-0310</b>	
29,74X03,53 NIT	<b>36-0570</b>	
30,00X03,00 NIT	<b>36-0475</b>	
30,00X03,50 NIT	<b>36-0608</b>	*
30,00X04,00 NIT	<b>36-0389</b>	
30,08X03,60 NIT	<b>36-0315</b>	
31,34X03,53 NIT	<b>36-0575</b>	
31,75X02,08 NIT	<b>36-0494</b>	
32,00X03,00 NIT	<b>36-0367</b>	
32,00X03,50 NIT	<b>36-0341</b>	
32,00X04,00 NIT	<b>36-0391</b>	
32,50X03,60 NIT	<b>36-0320</b>	
32,92X03,53 NIT	<b>36-0580</b>	
33,00X02,00 NIT	<b>36-0342</b>	
33,00X03,00 NIT	<b>36-0476</b>	
33,00X04,00 NIT	<b>36-0343</b>	
33,30X02,40 NIT	<b>36-8835</b>	
33,30X02,40 VIT	<b>36-0556</b>	
34,00X02,00 NIT	<b>36-0344</b>	
34,00X02,50 NIT	<b>36-0346</b>	
34,00X04,00 NIT	<b>36-0347</b>	
34,10X03,60 NIT	<b>36-0325</b>	
34,52X03,53 NIT	<b>36-0585</b>	
35,00X03,00 NIT	<b>36-0477</b>	
35,00X03,50 NIT	<b>36-0609</b>	*
35,00X04,00 NIT	<b>36-0558</b>	
35,00X06,00 VIT	<b>36-0697</b>	*
35,60X03,60 NIT	<b>36-0330</b>	
36,00X03,00 NIT	<b>36-0348</b>	

Afmetingen / Dimensions	Ref. MP	*
36,00X04,00 NIT	<b>36-0662</b>	*
36,09X03,53 NIT	<b>36-0590</b>	
36,50X03,50 NIT	<b>36-7720</b>	
37,00X02,50 NIT	<b>36-0349</b>	
37,00X03,00 NIT	<b>36-0351</b>	
37,00X04,00 NIT	<b>36-0722</b>	*
37,30X03,60 NIT	<b>36-0335</b>	
37,47X05,33 NIT	<b>36-0340</b>	
37,69X03,53 NIT	<b>36-0595</b>	
38,00X03,00 NIT	<b>36-0478</b>	
38,00X04,00 NIT	<b>36-0316</b>	
39,00X03,00 NIT	<b>36-0352</b>	
40,00X02,00 NIT	<b>36-0364</b>	
40,00X03,00 NIT	<b>36-0557</b>	
40,00X03,50 NIT	<b>36-0392</b>	
40,64X05,33 NIT	<b>36-0345</b>	
42,00X03,00 NIT	<b>36-0393</b>	
42,00X03,50 NIT	<b>36-0623</b>	*
42,00X04,00 NIT	<b>36-0479</b>	
42,00X05,00 NIT	<b>36-0627</b>	*
43,00X02,50 NIT	<b>36-0394</b>	
43,00X03,00 NIT	<b>36-0396</b>	
43,00X03,50 NIT	<b>36-0397</b>	
43,82X05,33 NIT	<b>36-0350</b>	
44,00X03,50 NIT	<b>36-0398</b>	
45,00X02,00 NIT	<b>36-0363</b>	
45,00X03,00 NIT	<b>36-0399</b>	
45,00X04,00 NIT	<b>36-0481</b>	
45,00X05,00 NIT	<b>36-0401</b>	

\* = NIEUW / NOUVEAU



## O-Ringen per afmetingen / Joints Toriques par dimensions

NIT = NITRILE (NBR) - SIL = SILICONE (VMQ) - VIT = VITON (FPM)

Afmetingen / Dimensions	Ref. MP	*
46,99X05,33 NIT	<b>36-0355</b>	
47,00X02,50 NIT	<b>36-0439</b>	
47,00X03,50 NIT	<b>36-0402</b>	
47,00X04,00 NIT	<b>36-0403</b>	
48,00X03,00 NIT	<b>36-0628</b>	*
48,00X03,50 NIT	<b>36-0404</b>	
48,00X03,60 NIT	<b>36-0202</b>	
48,00X04,00 NIT	<b>36-0405</b>	
48,00X05,00 NIT	<b>36-0406</b>	
48,50X04,00 NIT	<b>36-0376</b>	
49,00X03,00 NIT	<b>36-0081</b>	
50,00X02,50 NIT	<b>36-0407</b>	
50,00X03,00 NIT	<b>36-0083</b>	
50,00X03,50 NIT	<b>36-0408</b>	
50,00X05,00 NIT	<b>36-0409</b>	
50,17X05,33 NIT	<b>36-0360</b>	
50,39X03,53 NIT	<b>36-0203</b>	
52,00X02,50 NIT	<b>36-0629</b>	*
52,00X03,00 NIT	<b>36-0077</b>	
52,00X03,50 NIT	<b>36-0631</b>	*
52,00X05,00 NIT	<b>36-0632</b>	*
53,34X05,33 NIT	<b>36-0365</b>	
53,97X03,53 NIT	<b>36-0084</b>	
54,00X02,50 NIT	<b>36-0411</b>	
54,00X03,00 NIT	<b>36-0649</b>	*
54,50X03,00 NIT	<b>36-0086</b>	
55,00X02,00 NIT	<b>36-0412</b>	
55,00X02,50 NIT	<b>36-0413</b>	
55,00X03,00 NIT	<b>36-0414</b>	

Afmetingen / Dimensions	Ref. MP	*
55,00X03,50 NIT	<b>36-0416</b>	
55,00X04,00 NIT	<b>36-0417</b>	
55,00X05,00 NIT	<b>36-0418</b>	
56,00X02,00 VIT	<b>36-0362</b>	
56,52X05,33 NIT	<b>36-0370</b>	
57,00X02,50 NIT	<b>36-0419</b>	
57,00X03,00 NIT	<b>36-0421</b>	
57,00X03,50 NIT	<b>36-0422</b>	
57,00X04,50 NIT	<b>36-0423</b>	
59,69X05,33 NIT	<b>36-0375</b>	
60,00X03,00 NIT	<b>36-0087</b>	
60,00X03,50 NIT	<b>36-0424</b>	
62,00X03,00 NIT	<b>36-0088</b>	
62,87X05,33 NIT	<b>36-0380</b>	
63,00X02,50 NIT	<b>36-0426</b>	
63,00X03,00 NIT	<b>36-0427</b>	
63,00X03,50 NIT	<b>36-0428</b>	
63,00X04,00 NIT	<b>36-0650</b>	*
65,00X02,00 NIT	<b>36-0361</b>	
65,00X02,50 NIT	<b>36-0429</b>	
66,04X05,33 NIT	<b>36-0385</b>	
69,22X05,33 NIT	<b>36-0390</b>	
72,39X05,33 NIT	<b>36-0395</b>	
75,00X03,00 NIT	<b>36-0656</b>	*
75,00X03,50 NIT	<b>36-0431</b>	
75,00X04,00 NIT	<b>36-0432</b>	

\* = NIEUW / NOUVEAU



## O-Ringen per afmetingen / Joints Toriques par dimensions

NIT = NITRILE (NBR) - SIL = SILICONE (VMQ) - VIT = VITON (FPM)

Afmetingen / Dimensions	Ref. MP	*
75,57X05,33 NIT	<b>36-0400</b>	
78,00X03,00 NIT	<b>36-3805</b>	
78,74X05,33 NIT	<b>36-8040</b>	
80,00X02,50 NIT	<b>36-0433</b>	
80,00X03,00 NIT	<b>36-0434</b>	
80,00X03,00 SIL	<b>36-7820</b>	
80,00X03,50 NIT	<b>36-0436</b>	
80,00X04,00 NIT	<b>36-0437</b>	
85,00X03,00 NIT	<b>36-0670</b>	*
85,09X05,33 NIT	<b>36-0410</b>	
87,00X03,00 NIT	<b>36-0093</b>	
88,27X05,33 NIT	<b>36-0415</b>	
90,00X03,00 NIT	<b>36-0023</b>	
94,62X05,33 NIT	<b>36-0420</b>	
97,79X05,33 NIT	<b>36-0425</b>	
100,00X04,00 NIT	<b>36-0537</b>	*
100,97X05,33 NIT	<b>36-0430</b>	
104,14X05,33 NIT	<b>36-0435</b>	
107,32X05,33 NIT	<b>36-0440</b>	
109,50X05,00 VIT	<b>36-3840</b>	
110,00X04,50 SIL	<b>36-3785</b>	
110,50X04,75 VIT	<b>36-3845</b>	
113,67X05,33 NIT	<b>36-0445</b>	

Afmetingen / Dimensions	Ref. MP	*
116,84X06,99 NIT	<b>36-0455</b>	
120,00X04,00 SIL	<b>36-3790</b>	
124,00X04,00 NIT	<b>36-3800</b>	
132,94X03,53 NIT	<b>36-3795</b>	
138,00X01,90 VIT	<b>36-3850</b>	
138,00X02,10 VIT	<b>36-3810</b>	
140,00X01,90 VIT	<b>36-6620</b>	
140,00X03,80 VIT	<b>36-6650</b>	
140,00X04,00 VIT	<b>36-3825</b>	
141,00X01,90 VIT	<b>36-3835</b>	
144,00X03,80 VIT	<b>36-3855</b>	
327,50X03,80 SIL	<b>36-3830</b>	
354,00X03,80 SIL	<b>36-2700</b>	

\* = NIEUW / NOUVEAU